CONSTRUCTION SECTION

SEP 0 1 2015 PRINTED: 08/19/2015 FORMAPPROVED

AND PLAN	of Health Service Re of DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUBBLIEBIOLIS	OCS MERT	PLE CONSTRUCTION RECEIV	/PP	MAPPRO
	OF SOMMESTICAL	IDENTIFICATION NUMBER:	A. BUILDIN	IG: 01	Loxa) DAT	PLETED
		HAL045001			1 00	W.FIEDED
NAME OF P	ROWDER OR SUPPLIER		B. WING_		0.8	12/2015
		STREEY A	DDRESS, CITY	, STATE, ZIP CODE	74	12/20/10
	L CARE CENTER-HE	HENDER	STALLEN : SONVILLE,	STREET		
(X4) ID PREFIX	SUMMARY STAT	EMENT OF DEFICIENCIES	ID.	THE RESERVE TO SERVE THE PARTY OF THE PARTY		
TAG	The second	AUST BE PRECEDED BY FULL DENTIFYING INFORMATION)	PREFIX TAG	PROVIDER'S PLAN OF CORRE (EACH CORRECTIVE ACTION SHI CROSS-REFERENCED TO THE APP DEFICIENCY)		COMPLE DATE
C 0000 I	nitial Comments		C 000			
B F fice re St Ag 20 Mc Ca 400	assed on information acility was first licens cansure on or about a sidents. Based on the quiring the facility to andards and Regular ged and Disabled; the 105 Rules for Adult capre Beds; and the 19 trolina State Building 9 Institutional Occupants	is information, we are meet the 1987 Minimum tions for Homes for the applicable portions of the Ire Home of Seven or 78 Edition of the North Code, Revision 8 -Section ancy.	2 101	Submission of this response plan of correction is not a landmission that the deficient was correctly cited. It is not construed as an admission interest against the facility, Administrator, Director of Nor any employee, agent or coindividuals who draft or madiscussed in the Plan of Correction.	egal ency of to be of the lursing other y be	
PH' The care (2) licer facili requ chan reno the re no ac than "Minir Regu coplee Healti Raleig	Except where otherwased facilities or portion ities shall meet licens irements in effect at tige in service or bed yealon, or alteration; legalities or renovation in those requirements from and Desired States of which are available. Service Regulation, in, North Carolina, 2 tule is not met as every possible or service requirements of the service Regulation, in, North Carolina, 2 tule is not met as every possible or service requirements.	APPLICATION OF UIREMENTS ements for each adult ed as follows: vise specified, existing ons of existing licensed sure and code the time of construction, count, addition, nowever in no case shall icensed facility where has been made, be less ound in the 1971 andards and or the Aged and Infirm", ble at the Division of 701 Barbour Drive, 7603 at no cost; idenced by:		In addition, preparations and submission of this Plan of Correction does not constitut any admission or agreement the facility of the truth of any facts alleged or correction of conclusions set forth in this allegation by the survey agence For the deficiencies cited during this survey, this facility has developed a Plan of Correction with regulations. We would like you to accept this POC as our credible allegation of compliance	te by any cy.	
MY OFFECT	OR'S OR PROVIDER/SUPP	LER REPRESENTATIVE'S SIGNATURE		TIVE		
RM	s Drake			TITLE TO A	(X8) DAT	
		6909	corre	DIRECTOR 9	3-31-1	5

C 101 C Dontinued From page 1 1 - Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exiting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a - The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 164 Entrances/Exits-Wanderer Alarms C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be disorlented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator or in a location accessible only to staff authorized by the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel.		S (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	A. BUILDING	PLE CONSTRUCTION CO.	(a) DATE SURVEY COMPLETED
CARDINAL CARE CENTER-HENDERSONVILLE (XA) ID WEST ALLEN STREET TAG SUMMARY STATEMENT OF DEPCIENCES (EACH DEFICIENCY MUST BE PRECEIVED BY YOUL) TAG COntinued From page 1 1- Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exiting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a—The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (A) In homes with at least one resident who is determined by a physician or is otherwise known to be discordented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device to that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations stand be control panel.	NAME OF PROMPER OR CO.		B. WING		09/42/2045
Commonstrate Comm		STRUETA	DDRESS, CITY,	STAYE, ZIP CODE	00/12/2015
PREFIX TAG REQUIATORY OR LSC DENTIFYING INFORMATION) C 101 C 101 C 101 C 2 Continued From page 1 1- Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a- The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 C 154 Entrances/Exits-Wanderer Alarms C 1554 SECTION .0300 - PHYSICAL PLANT 10A NCAC 15F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be discriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that its activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and intentions.	CARDINAL CARE CEN	R-HENDERSONVILLE 1000 WE	STALLEN S	TREET	
The REGULATORY of LSC IDENTIFYING INFORMATION) C 101 C Continued From page 1 1- Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exiting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a- The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be disoriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator to negative manufacture of the control panel. This Rule is not met as evidenced by: 1- Based on observations and lactories and part of the system shall be located in the office of the administrator to in a location accessible only to staff authorized by the administrator to operate the control panel.	(X4) ID SUMM		SONVILLE, I		
1- Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exiting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a- The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be discribented or a wanderer, each exit door accessible by residents shall be equipped with a sounding devices its provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and listes with a sace of the control panel. This Rule is not met as evidenced by: 1- Based on observations and listes with a sace of the control panel. This Rule is not met as evidenced by: 1- Based on observations and listes with a sace of the control panel.	TAG REGULATOR	OR LSC IDENTIFYING INFORMATION)	PREFIX	CROSS-REFERENCED TO THE APPROPRIE	COMPLET TE DATE
1- Based on observations, the facility failed to ensure that the building meets the NC State Building Code regarding emergency exiting. This deficiency directly affects all residents, personnel, and visitors who may have to exit the facility in an emergency. Findings on include: a- The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be disoriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and least to the facility in an emergency exiting. This reaches all residents and release buttons for all exit doors so they will remain unlocked unit system is reset. We have contacted the Southern Alarm Security to change all the release buttons for all exit doors so they will remain unlocked unit system is reset. **SECTION .0300 - PHYSICAL PLANT** (A) It homes with at least one resident who is determined by a physician or is otherwise known to be disordented or a wanderer, each exit door accessible by residents shall be equipped with a sounding devices is provided, the control panel of the administrator to operate the control panel. This Rule is not met as evidence by:	- Communication in	-	C 101		
Findings on include: a- The emergency release buttons for the magnetic locks located at all EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be disoriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and leterations.	Building Code deficiency dire and visitors wi	egarding meets the NC State		We have contacted the Southern	8-31-1
a- The emergency release buttons for the magnetic locks located at alt EXITs are momentary release buttons, allowing the doors to re-lock after approximately 30 seconds. C 154 Entrances/Exits-Wanderer Alarms C 154 SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be disoriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding device that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and intents.	ĺ			release buttons for all exit doors so they will remain unlocked unit	
SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0305 PHYSICAL ENVIRONMENT (h) The requirements for outside entrances and exits are: (4) In homes with at least one resident who is determined by a physician or is otherwise known to be discriented or a wanderer, each exit door accessible by residents shall be equipped with a sounding devices that is activated when the door is opened. The sound shall be of sufficient volume that it can be heard by staff. If a central system of remote sounding devices is provided, the control panel for the system shall be located in the office of the administrator or in a location accessible only to staff authorized by the administrator to operate the control panel. This Rule is not met as evidenced by: 1- Based on observations and intention.	momentary rek re-lock after ap	seated at all EXITs are se buttons, allowing the doors to eximately 30 seconds.		system is reset.	
staff, the facility has failed to have a system for monitoring all exit doors in accordance with this Rule. This may affect any discriented resident if	SECTION .0300 10A NCAC 13F ENVIRONMENT (h) The requirer exits are: (4) In homes wit determined by a to be discriented accessible by res sounding device opened. The sou that it can be hea of remote soundin control panel for the the office of the a accessible only to administrator to of This Rule is not in 1- Based on obset staff, the facility ha monitoring all exit	PHYSICAL PLANT 305 PHYSICAL ents for outside entrances and at least one resident who is hysician or is otherwise known r a wanderer, each exit door lents shall be equipped with a at is activated when the door is d shall be of sufficient volume by staff. If a central system devices is provided, the e system shalf be located in ninistrator or in a location taff authorized by the erate the control panel. If as evidenced by: atlons and interviews with the failed to have a system for	C 154	We will put sounding alarms on all doors leading to the secured courtyard to notify employees	8-31-15

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	gulation (XI) PROVIDER/SUPPLIER/CLIA	OCO MULTIN	LE CONSTRUCTION	FORM APPROV
	IDENTIFICATION NUMBER	A. BUILDING	k 01	(X3) DATE SURVEY COMPLETED
	HAL045001	B. WING		
AME OF PROVIDER OR SUPPLIER	SYREET,	ADDRESS CITY	STATE, ZIP CODE	08/12/2015
ARDINAL CARE CENTER-HEI	NDERSONVILLE 1000 W	EST ALLEN S	TREET	
	HENDER	RSONVILLE, N	VC 28739	
TAG REQUIATORY OR LSO	MENT OF DEFICIENCIES NUST BE PRECEDED BY FULL IDENTIFYING INFORMATION)	PREFIX YAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REPERENCED TO THE APPROP DEFICIENCY)	
C 154 Continued From page	2	C 154	DEFICIENCY)	
not supervised.		0 134		
kept unlocked at all tim no sounding devices. I identified to prevent re- disoriented from going during times of extreme	sidents who may be outside into the courtyard of temperatures or weather. Inishings-Clean, Repaired SICAL PLANT HOUSEKEEPING AND all: and floors or floor of in good repair; leasant odors; and in good repair; fo new and existing evidenced by: the facility has failed to shvironment clean and sided where the HVAC elity have a large outside on the grill ins.	C 164	C164 (a) We have instituted a pattern of systematical cleaning all dust and lin from grill vents and radiation dampers. (b) we have instituted a pattern of cleaning dust and lint from exhaust fans weekly.	t

PRINTED: 08/19/2015

N OF CORRECTION PROVIDER OR SUPPLIER	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	A. BUILDING	PLE CONSTRUCTION	(X3) DA1	TE SURVEY
PROVIDED OF CURRY		1	r. 01	CON	MPLETED
PROVINCE OR DURING	HAL045001	B. WING			
AND VIDER OR SUPPLIER	STREET	ADDRESS CITY	STATE, ZIP CODE	08/	12/2015
AL CARE CENTER-HE	NDERSONVILLE 1000 W	EST ALLEN S	TREET		
-	HENDE EMENT OF DEFICIENCIES	RSONVILLE, I	NC 28739		
REGULATORY OR LS	MUST BE PRECEDED BY FULL CIDENTIFYING INFORMATION)	PREPIX YAG	THE ABOUT		COMPLETE DATE
		C 166		-	-
10A NCAC 13F 0306	YSICAL PLANT	1 1			8-26-15
COMMONINGS		1 1	We have removed all wed;	ges	
(5) be maintained in a	an lineluttered -t	1 1	and instructed all employe	es not	
oracity manifest, free c	of all obstructions and		to hold open doors in build	ling	
remove u.g.,			with chairs, wedges or other	er hard	
acilities.	Pry to new and existing		to move items.	-	
 DBSEQ ON Observation 	one the facility bear to a				
indings include:	or mazardo.			-	
at may prevent them t	wedge or other means				
2- Fire doors outside Shop (Chairs)	the Beauty				
	- 1	C 189			1
QUIREMENTS	OTHER				
home shall be maintaing condition. This Rule shall apply to the with the exception.	g equipment in an adult ained in a safe and to new and existing				
папан пот арріу то ех	isting facilities.				
The state of the s	Housekeeping-Maint SECTION .0300 - PH- 10A NCAC 13F .0306 FURNISHINGS a) Adult care homes b) be maintained in a rederly manner, free of azards; a) This Rule shall appendiction in the building free desired in the building and all free desired in the desired	Housekeeping-Maintained Free of Hazards SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0306 HOUSEKEEPING AND FURNISHINGS a) Adult care homes shall: b) be maintained in an uncluttered, clean and inderly manner, free of all obstructions and azards; a) This Rule shall apply to new and existing individual in the building free of hazards. his Rule is not met as evidenced by: Based on observations, the facility has failed to aintain the building free of hazards. hidings include: The doors located in the following locations are in may prevent them from closing easily in an ergency. Locations include but are not limited 1- Beauty Shop (Wedge) 2- Fire doors outside the Beauty Shop (Chairs) ding Equipment Maintained Safe, Operating FION .0300 - PHYSICAL PLANT NCAC 13F .0311 OTHER BUIREMENTS The building and all fire safety, electrical, hanical, and plumbing equipment in an adult home shall be maintained in a safe and atting condition. his Rule shall apply to new and existing is with the exception of Paragraph (e) shall not apply to existing facilities.	Housekeeping-Maintained Free of Hazards SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0306 HOUSEKEEPING AND FURNISHINGS a) Adult care homes shall: b) be maintained in an uncluttered, clean and rederly menner, free of all obstructions and azards; a) This Rule shall apply to new and existing scilities. In this Rule is not met as evidenced by: Based on observations, the facility has failed to aintain the building free of hazards. The doors located in the following locations are ing held open using a wedge or other means it may prevent them from closing easily in an ergency. Locations include but are not limited 1- Beauty Shop (Wedge) 2- Fire doors outside the Beauty Shop (Chairs) ding Equipment Maintained Safe, Operating TION .0300 - PHYSICAL PLANT NCAC 13F .0311 OTHER BUIREMENTS The building and all fire safety, electrical, hanical, and plumbing equipment in an adult home shall be maintained in a safe and atting condition. his Rule shall apply to new and existing iss with the exception of Paragraph (e) ishall not apply to existing facilities.	Housekeeping-Maintained Free of Hazards SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0306 HOUSEKEEPING AND 5 be maintained in an uncluttered, clean and raderly manner, free of all obstructions and azards; 9) This Rule shall apply to new and existing schildren. The doors located in the following locations are ing held open using a wedge or other means at may prevent them from closing easily in an ergency. Locations include but are not limited 1- Beauty Shop (Wedge) 2- Fire doors outside the Beauty Shop (Chairs) This guilpment Maintained Safe, Operating of the building and all fire safety, electrical, hanical, and plumbing equipment in an adult heme shall be maintained in a safe and atting condition. his Rule shall apply to new and existing iss with the exception of Paragraph (e) shall not apply to existing facilities.	Housekeeping-Maintained Free of Hazards SECTION .0300 - PHYSICAL PLANT 10A NCAC 13F .0306 HOUSEKEEPING AND URNISHINGS 3) Adult care homes shall: 5) be maintained in an uncluttered, clean and rderly manner, free of all obstructions and azards; 2) This Rule shall apply to new and existing sinkings. Alse Rule is not met as evidenced by: Based on observations, the facility has failed to aintain the building free of hazards. The doors located in the following locations are ing held open using a wedge or other means t may prevent them from closing easily in an ergency. Locations include but are not limited 1- Beauty Shop (Wedge) 2- Fire doors outside the Beauty Shop (Chairs) ding Equipment Maintained Safe, Operating UREMENTS The building and all fire safety, electrical, nanical, and plumbing equipment in an adult home shall be maintained in a safe and ting condition, his Rule shall apply to new and existing se with the exception of Paragraph (e) shall not apply to existing facilities.

AND PL	MENT OF DEFICIENCIES AN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA	DC25 MOE	TIPLE CONSTRUCTION	FORM	
		IDENTIFICATION NUMBER:	A. BUILD	NG: 91	(X3) DATE	
		HAL045001	l		COMP	ETED
NAME OF	F PROVIDER OR SUPPLIER		B, WING		08/1	2/2015
		STREET A	DDRESS, CIT	Y, STATE, ZIP CODE		2010
OARDII	NAL CARE CENTER-HE	NDERSONVILLE 1000 WE HENDER	ST ALLEN	STREET , NC 28739		
(X4) ID PREFIX		EMENT OF DEFICIENCIES	ID.			
TAG	REGULATORY OR LS	MUST BE PRECEDED BY FULL CIDENTIFYING INFORMATION)	PREFIX	PROVIDER'S PLAN OF CORR (EACH CORRECTIVE ACTION S	Literature and Committee of the Committe	(XB) COMPLE
C 189	Continued From			CROSS-REFERENCED TO THE AP DEFICIENCY)	PROPRIATE	DATE
0 190	Continued From pag	B 4	C 189		+	
	This Rule is not met	no endeterments		C189	8	-31-15
	i - pased on observat	ione fire perfett and		(2) 1 111	1	
J				(a) 1. Kitchen exit sign	was	
İ	who live, work, or visit	of tesicionts staff accident		replaced.		
		ore recently.		(b) 2. bulbs were repla	iced in	
- 1	Findings include:	1		living room exit sig	n	
-	a- The EXIT signs loca	ated in the following areas			1	
- 1	do not work on battery but are not limited to:	power. Locations include			1	
	1- Kitchen				ļ	
- 1	Living Room	1	- 1			
14	4- Based on observation	ns, the facility failed to	- 1			
			- 1	4. (a) 1.Sealed with fire c	auth 1	
		ilding components. This t all residents, personnel,	- 1		8-	26-15
, ~	THE PRODUCT OF THE PROPERTY OF	the necessary and a	-	Sealed with fire c	aulk .	
8	moke beyond the com	partment of origin.	- 1	2 Control in a		26-15
F	indings on include:			Sealed with fire c	aulk 8-2	6-15
			1	4. Sealed with fire ca	auth	
fo	There are unprotected flowing locations to inc	d penetrations in the	- 1		8-2	6-15
	1 MOUND INFORENT	Dipo in the Death	1	Cut out foam and		
	Around the stove the kitchen.	fire suppression piping in	- 1	replaced with sheet	rock 8-2	6-15
	3- In the ceiling of the	Med Boom	1	mud.		
ĺ	4~ I be interior wall of	the Med Deen	1	6 Contrat on a		- 1
	o- The Mechanical Ra (foam)	oom opposite Room 110		Sealed with fire car	ulk. 8-26-	15
	6- Around the plumbing	ng lines and electrical				- 1
h-7	CONTINUES IN THE FRIENDS	FIF DOOM	1	4		- 1
con	npletely close and latch	ed at Room 102 do not	1	(b) Door was planed down, an	d 8-31	-15
		"		we adjusted latch speed. Doo	rs	13
Ì				closed and locked 3 out of 3 til	mes	- 1
Hookk 6	Service Regulation		- 1	on trial.		- 1